

PowerTerm Pro for Unix Installation



Dear Xyntax Customer,

Following are the **Quick Installation Instructions** for the “**PowerTerm Pro for Unix**” software. Please follow the instructions carefully and call or email us with any questions or problems you encounter.


The Ericom Technical Support Team
Web Support: <http://www.ericom.com/support.asp>
Phone Support: 201-767-2210 -> Option 4
Email Support: supportusa@ericom.com

Xyntax Technical Support
Phone Support 1-866-699-6829
Email Support: support@xyntax.com

Quick Installation Instructions for the “PowerTerm Pro for Unix” software




Click on the **Next** button.



(Note: KUNAL~1.DAL will be replaced with the logged in user's name)

Click on the **Next** button.



(Note: The above message will appear only if PowerTerm has been previously installed on this machine).


Click on the **Yes to All** button.




Enter in the Serial Number that has been provided to you and click on the **OK** button.



Click on the **Next** button.




Accept the License Agreement and click on the **Next** button.




IMPORTANT: Choose the “For Unix” Sub-Product and click on the **Next** button



Choose the “Single User Installation” option and click on the **Next** button.



Click on the **Next** button.




(Note: The above message will appear only if PowerTerm has been previously installed on this machine).


Click on the **Yes** button.



Click on the **Next** button.



Enter in all the above fields and click on the **Next** button.




Click on the **Next** button.



Click on the **Place an Icon on the Desktop** option.



Click on the **OK** button.




Deselect the "Show Tips at Startup" option if you do not want the tips to display each time at Startup and click on the **OK** button.

(Note: After installation, the "Tip of the Day" can still be viewed by clicking on Help -> Tip of the Day.)


Now you need to set up PowerTerm parameters prior to connecting to the Xyntax server.

Parameters can be obtained from your System Administrator, Help Desk, and/or from Xyntax. Please go to the next section of this document to view setup parameters.

Xyntax PowerTerm Pro for Unix Setup Parameters




Select the Setup section under the Terminal title.




The Emulation screen will be displayed. Click on the **ANSI** tab on the left side of the screen and select **SCD ANSI**.

Select the **General** tab.



Change the **UPS Set** to **Code Page 437**.

Select the **Display** tab.



Under '**Lines Per Screen**', change to **25**


Select the **Printer** tab.

The screenshot shows the 'Terminal Setup' dialog box with the 'Printer' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar are five tabs: 'Emulation', 'General', 'Display', 'Keyboard', 'Printer', and 'Preferences'. The 'Printer' tab is active. The main area contains several sections: 'Output Type' with a dropdown menu set to 'Device'; 'Device' with a text field containing 'lp0'; 'File Creation' with radio buttons for 'Append' and 'Overwrite'; 'Data Conversion Type' with a dropdown menu set to 'Graphics'; 'Print Screen:' with a dropdown menu set to 'None'; 'Slave Printer:' with a dropdown menu set to 'None'; 'Slave Printer Job Delimiter:' with a dropdown menu set to 'None'; and 'Delay for Print Closing (Seconds)' with a dropdown menu set to '3'. There are also checkboxes for 'Use Form Feed' (unchecked) and 'Print Line Graphics as Text' (unchecked), and a checked checkbox for 'CR->CRLF'. An 'Advanced Printing...' button is located at the bottom right of the main area. At the very bottom of the dialog are four buttons: 'OK', 'Cancel', 'Apply', and 'Defaults'.


If your printing to a 'Slave Printer' (printer which is attached directly to your PC thru your PC's parallel port) the **Output Type** should be Device. The **Device Name** should be set to **lp0**.

The Use Form Feed box should be un-checked. The **Delay for Print Closing(Seconds)** should be set a **3**.


Select the **Preferences** tab.



Your screen should be set similar to above screen.
Click on Apply then the OK button. Make sure to save you session.



After you enter in your parameters and click on the **Connect** button.



The Host name (usually the IP address of the Xyntax server) can be obtained from you System Administrator or from Xyntax.

If you are connecting thru a phone line, you will need a modem (at both ends) and the necessary telephone numbers to connect.

The "PowerTerm Pro for Unix" software can be downloaded from <http://www.xyntax.com/downloads/Ptprose.exe>.

Congratulations, you have successfully installed the "PowerTerm Pro for Unix" software.